




Shandong Xiangyue bearing Trading Co....



5.512 Inch | 140 Millimeter x 9.843 Inch | 250
Millimeter x 2.677 Inch | 68 Millimeter Timken
NU2228EMA Cylindrical Roller Bearing

Bearing No. NU2228EMA

NU2228EMA Bearing 2D drawings and 3D CAD
models

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	14.723
EAN	0053893752167
Product Group	B04144
Bore Profile	Straight
Cage Material	Brass
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	High Capacity Plain Inner Ring 2 Rib Outer Ring Cage on Outer Ring ID
Long Description	140MM Bore; Straight Bore Profile; 250MM Outside Diameter; 68MM Width;



Shandong Xiangyue bearing Trading Co....

	Brass Cage Material; RBEC 1 ISO P0; Single Row; Inner Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium Int
Category	Cylindrical Roller Bearings
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.timken.com
Manufacturer Item Number	NU2228EMA
Weight / LBS	32.5
d	5.512 Inch 140 Millimeter
D	9.843 Inch 250 Millimeter
B	2.677 Inch 68 Millimeter
Design Units	METRIC
Bearing Weight	14.8 Kg
Type	NU
Tapered Bore	N
d - Bore	140 mm
D - Outer Diameter	250 mm
C - Inner Ring Width	68.000 mm
B - Outer Ring Width	68.000 mm
C0 - Static Radial Rating	850000 N
C - Dynamic Radial Rating ¹	650000 N
Reference Thermal Speed Rating (Grease)	1800
Reference Thermal Speed Rating (Oil) ²	2100
Cg - Geometry Factor ³	0.1366
R - Inner Ring To Clear Radius ⁴	2.500 mm
r - Outer Ring To Clear Radius ⁵	2.500 mm



Shandong Xiangyue bearing Trading Co....

da - Inner Ring Backing Diameter	160.000 mm
Da - Outer Ring Backing Diameter	0.000 mm